



## **Attestation of Conformity**

No. E8A 086470 0095 Rev. 01

Holder of Certificate: Ginlong Technologies Co., Ltd.

No.57 Jintong Road

Binhai Industrial Park, Xiangshan 315712 Ningbo, Zhejiang PEOPLE'S REPUBLIC OF CHINA

Name of Object: Converter

(Off-grid inverter)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

**Test report no.:** 64772218019302

Date, 2022-09-02

(Tony Liu)

Page 1 of 2

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.







## **Attestation of Conformity**

No. E8A 086470 0095 Rev. 01

Model(s): S5-E01P4K-48, S5-E01P4K-48-P, S5-E01P5K-48, S5-E01P5K-48-P

Trade name: solis



## Description of Object:

Model	S5-EO1P4K-48, S5-EO1P4K-48-P	S5-EO1P5K-48, S5-EO1P5K-48-P
PV Input	•	
Max. Input Voltage d.c.	d.c. 500V	
MPPT Voltage range Voltage d.c.	d.c. 90-480V	
Max. input Current d.c.	d.c. 13A/13A	
Isc PV (absolute max.) d.c.	d.c. 32A	
Battery		
Battery Voltage Range d.c.	d.c. 40-60V	
Max. Charge Current d.c.	d.c. 100A	
Max. Discharge Current d.c.	d.c. 100A	
AC-Output (stand-alone)		
Max. Output Power	4kVA/4kW	5kVA/5kW
Nominal Output Voltage a.c.	a.c. 230V ±1%	
Output Frequency a.c.	50Hz/60Hz ±0.1%	
Max. Output Current a.c.	a.c. 20A	a.c. 25A
AC-Input		
Nominal Input Voltage a.c.	a.c. 230V	
Max. Input Continuous Current a.c.	a.c. 26A	a.c. 30A
Input Frequency a.c.	50Hz/60Hz (auto sensing)	
Others		
Protective Class	Class I	
Ingress Protection	IP21	
Over voltage Category	III (AC), II(PV)	
Operation Temperature Range	-10°C-60°C	

Tested EN IEC 61000-6-2:2019 EN IEC 61000-6-4:2019 EN 55011:2016/A11:2020 EN 55011:2016/A2:2021

Page 2 of 2

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.